

UTILITY NOTE

THIS SURVEYOR HAS NOT PHYSICALLY LOCATED THE UNDERGROUND UTILITIES, ABOVE GRADE AND UNDERGROUND UTILITIES SHOWN WERE TAKEN FROM VISIBLE APPURTENANCES AT THE SITE, PUBLIC RECORDS AND/OR MAPS PREPARED BY OTHERS. THE SURVEYOR MAKES NO GUARANTEE THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED. THEREFORE, RELIANCE UPON THE TYPE, SIZE AND LOCATION OF UTILITIES SHOWN SHOULD BE DONE SO WITH THIS CIRCUMSTANCE CONSIDERED. DETAILED VERIFICATION OF EXISTENCE, LOCATION AND DEPTH SHOULD ALSO BE MADE PRIOR TO ANY DECISION RELATIVE THERETO IS MADE. AVAILABILITY AND COST OF SERVICE SHOULD BE CONFIRMED WITH THE APPROPRIATE UTILITY COMPANY. IN TENNESSEE IT IS A REQUIREMENT, PER THE UNDERGROUND UTILITY DAMAGE PREVENTION ACT, THAT ANYONE WHO ENGAGES IN EXCAVATION MUST NOTIFY ALL KNOWN UNDERGROUND UTILITY OWNERS, NO LESS THAN (3) THREE WORKING DAYS PRIOR TO THE DATE OF THEIR INTENT TO EXCAVATE AND ALSO TO AVOID ANY POSSIBLE HAZARD OR CONFLICT. TENNESSEE ONE CALL 811.

GENERAL NOTES

- 1. BEARINGS SHOWN HEREON ARE BASED UPON A POSITIONAL SOLUTION DERIVED FROM TDOT GLOBAL POSITIONING SYSTEM (GPS) OBSERVATIONS AND ARE REPRESENTED IN THE TENNESSEE STATE PLANE COORDINATE SYSTEM: NAD83 (HORIZONTAL) AND NAVD 88 (VERTICAL).
2. TYPE OF GPS EQUIPMENT USED: TRIMBLE R98012, DUAL FREQUENCY RECEIVERS, TYPE OF GPS SURVEY: TDOT NETWORK ADJUSTED REAL TIME KINEMATIC, THE AVERAGE POSITIONAL QUALITY IS 0.10".
3. ELEVATIONS SHOWN HEREON ARE BASED ON NAVD 88.
4. THIS PROPERTY IS CURRENTLY NOT ZONED PER THE CITY OF CROSSVILLE. NO ZONING LETTER OR REPORT WAS PROVIDED TO THE SURVEYOR.
5. BY SCALED MAP LOCATION AND GRAPHIC PLOTTING ONLY, THIS PROPERTY LIES WITHIN FLOOD ZONE "X", AS DESIGNATED ON CURRENT FEDERAL EMERGENCY MANAGEMENT AGENCY MAP NO. 47035C03070 AND 47035C03030, WITH AN EFFECTIVE DATE OF 11/16/2007, WHICH MAKES UP A PART OF THE NATIONAL FLOOD INSURANCE ADMINISTRATION REPORT, COMMUNITY NO. 470037, PANEL NO. 307 AND 330, SUFFIX D, WHICH IS THE CURRENT FLOOD INSURANCE RATE MAP FOR THE COMMUNITY IN WHICH SAID PREMISES IS SITUATED. SAID MAP DEFINES ZONE "X" UNDER "OTHER AREAS" AS AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN.
6. NO OBSERVED EVIDENCE OF CURRENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING ADDITIONS WERE OBSERVED AT THE TIME OF THIS SURVEY.
7. NO INFORMATION IN REGARD TO PROPOSED CHANGES IN STREET RIGHT-OF-WAY LINES WAS MADE AVAILABLE TO THE SURVEYOR BY THE CONTROLLING JURISDICTION, NO EVIDENCE OF RECENT STREET OR SIDEWALK CONSTRUCTION OR REPAIRS WAS OBSERVED AT THE TIME OF THIS SURVEY.
8. NO OBSERVED EVIDENCE OF USE OF THE SUBJECT PROPERTY AS A CEMETERY OR BURIAL GROUND AT THE TIME OF THIS SURVEY.
9. NO OBSERVED EVIDENCE OF THE PROPERTY BEING USED AS A SOLID WASTE DUMP, SLUMP OR SANITARY LANDFILL AT THE TIME OF THIS SURVEY.
10. LEGAL DESCRIPTIONS CONTAINED HEREIN EACH FORM A MATHEMATICALLY CLOSED FIGURE.
11. THIS SURVEYOR HAS NOT BEEN FURNISHED WITH A COPY OF A TITLE COMMITMENT. THE SURVEYED PROPERTY IS, THEREFORE, SUBJECT TO THE FINDINGS OF A COMPLETE AND ACCURATE TITLE SEARCH.

OWNER/DEVELOPER

SCOTT WORD
DILLARD CONSTRUCTION
1101 BROAD STREET
CHATTANOOGA, TN, 37402
sword@dillardconstruction.com

ENGINEER

AVERY COWAN
PAPE DAWSON
35 STATION STREET
CHATTANOOGA, TN 37408
(423) 490-9400
avery.cowan@pape-dawson.com

DEED REFERENCE

BEING THE SAME PROPERTY CONVEYED TO WDS GROUP FROM WDS GROUP BY SPECIAL WARRANTY DEED OF RECORD IN DEED BOOK 1738, PAGE 2219, REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE.
PROPERTY MAP REFERENCE

BEING PARCEL NUMBER 039.12 AS SHOWN ON CUMBERLAND COUNTY PROPERTY MAP NUMBER 088.

SITE DATA

AREA OF 124 RESIDENTIAL LOTS: 869,433.4 SQ. FT. OR 19.96 ACRES ±
AREA OF PROPOSED ROW: 234,800.1 SQ. FT. OR 5.39 ACRES ±
AREA OF EXISTING ROW (WHEELER COURT): 50,819.0 SQ. FT. OR 1.17 ACRES ±
AREA OF COMMUNITY LOTS 125-128: 162,884.4 SQ. FT. OR 3.74 ACRES ±
TOTAL SITE AREA: 1,317,937.0 SQ. FT. OR 30.26 ACRES ±





Table with columns: NO., REVISION, DATE. Row 1: 1, CITY OF CROSSVILLE COMMENTS 04/07/2026.

PAPE-DAWSON
35 STATION STREET | CHATTANOOGA, TN 37408 |
TENNESSEE A&E PROFESSIONALS, FIRM #11104

BEEHIVE SUBDIVISION
CROSSVILLE, TN.
PRELIMINARY PLAT
DILLARD CONSTRUCTION

Table with columns: PLAT NO., JOB NO., DATE, DESIGNER, CHECKED, SHEET. Values: 25-0224, 03/19/2026, A. COWAN, ADC, DRAWN, HWN, 1 OF 4.




AS-SURVEYED PERIMETER DESCRIPTION
BEING ALL OF TRACT FIVE (5), TRACT SIX (6) & TRACT SEVEN (7) (PARCEL 088 039 01 & PARCEL 088 039 12)
BEING A TRACT LOCATED IN THE FIRST CIVIL DISTRICT OF CUMBERLAND COUNTY, TENNESSEE. BEING ALL OF TRACT FIVE (5), TRACT SIX (6) AND TRACT SEVEN (7) AND BEING THE SAME PROPERTY AS CONVEYED TO BRUCE A. CANNON AS TRUSTEE OF THE BRUCE A. CANNON LIVING TRUST VIA DATED MAY 4, 2017 BY WARRANTY DEED AS DESCRIBED PER DEED BOOK 1594, PAGE 605 AND QUIT CLAIM DEED AS DESCRIBED PER DEED BOOK 1501 PAGE 1044 AND SHOWN IN PLAT BOOK PL 11, PAGE 686, REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.). PARCEL NUMBER 039.01 AND 39.12 AS SHOWN ON CUMBERLAND COUNTY PROPERTY MAP NUMBER 088. THE PERIMETER OF SAID PARCEL BEING DESCRIBED ACCORDING TO A SURVEY PREPARED BY MARK HERRICK, RLS NO. 3356 WHOSE ADDRESS IS RAGAN SMITH ASSOCIATES, 315 WOODLAND STREET, NASHVILLE, TENNESSEE 37206, TELEPHONE NUMBER 615-244-4591, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:
PARCEL 088 039 01
BEGINNING AT AN IRON ROD (OLD) STAMPED "WLS"; AT THE SOUTHEAST CORNER OF SAID PARCEL 039 01 LOCATED ON THE WESTERN RIGHT-OF-WAY OF BEEHIVE LANE; THENCE LEAVING THE RIGHT-OF-WAY OF BEEHIVE LANE WITH THE NORTHERN LINE OF PARCEL 039 12 NORTH 67°48'44" EAST, A DISTANCE OF 941.63 FEET TO A 1/2" IRON ROD (OLD) STAMPED "TARF";
THENCE, WITH THE SAID EASTERN LINE OF PARCEL 039 12 NORTH 23°24'19" WEST, A DISTANCE OF 245.26 FEET TO A 1/2" IRON ROD (OLD) STAMPED "TARF" BEING THE COMMON CORNER WITH PARCEL 039 01 AND 039 12 AND LOCATED ON THE SOUTH LINE OF JEFFREY K. PROFFITT BY WARRANTY DEED OF RECORD IN DEED BOOK 1462, PAGE 1671, REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.);
THENCE LEAVING THE EAST LINE OF PARCEL 039 12 WITH THE LINE OF JEFFREY K. PROFFITT SOUTH 66°06'16" EAST, A DISTANCE OF 313.38 FEET TO A 1/2" IRON ROD (OLD) STAMPED "WLS" BEING THE COMMON CORNER OF JEFFREY K. PROFFITT AND AVALON CENTER, INC. BY WARRANTY DEED OF RECORD IN DEED BOOK 1673, PAGE 184 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.) SOUTH 66°06'16" EAST, A DISTANCE OF 628.17 FEET TO A 1/2" IRON ROD (OLD) BEING THE NORTHEAST CORNER OF SAID PARCEL 039 01 AND THE SOUTHEAST CORNER OF AVALON CENTER, INC. LOCATED ON THE WESTERN RIGHT-OF-WAY OF BEEHIVE LANE;
THENCE WITH THE WESTERN RIGHT-OF-WAY LINE OF BEEHIVE LANE SOUTH 23°25'53" WEST, A DISTANCE OF 217.19 FEET TO TRUE POINT OF BEGINNING AND CONTAINING 217.694 SQUARE FEET OR 5.00 ACRES MORE OR LESS.
PARCEL 088 039 12
BEGINNING AT AN IRON ROD (OLD) STAMPED "WLS"; AT THE NORTHEAST CORNER OF SAID PARCEL 039 12 AND THE SOUTHWEST CORNER OF SAID PARCEL 039 01 AS CONVEYED TO AVALON CENTER, INC. BY WARRANTY DEED OF RECORD IN DEED BOOK 1673, PAGE 184 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.) SAID IRON ROD IS IN THE WESTERN RIGHT-OF-WAY OF BEEHIVE LANE;
THENCE, WITH THE SAID WESTERN RIGHT-OF-WAY OF SAID BEEHIVE LANE AND THE EASTERN LINE OF SAID PARCEL 039 01 AND PARCEL 039 12 SOUTH 23°25'53" WEST, PASSING AN IRON ROD (OLD) AT A DISTANCE OF 233.78 FEET AT THE SOUTHEAST CORNER OF TRACT 5 AND THE NORTHEAST CORNER OF TRACT 6, PASSING AN IRON ROD (OLD) AT A DISTANCE OF 450.97 FEET AT THE SOUTHEAST CORNER OF TRACT 6 AND THE NORTHEAST CORNER OF TRACT 7, A TOTAL DISTANCE OF 684.75 FEET TO AN IRON ROD (NEW) WITH CAP STAMPED "RAGAN SMITH ASSOC.";
THENCE, CONTINUING WITH THE EASTERN LINE OF SAID PARCEL 039 12 AND THE WESTERN RIGHT-OF-WAY OF SAID BEEHIVE LANE SOUTH 25°13'11" WEST, A DISTANCE OF 237.28 FEET TO AN IRON ROD (NEW) WITH CAP STAMPED "RAGAN SMITH ASSOC.";
THENCE, CONTINUING WITH THE WESTERN RIGHT-OF-WAY OF SAID BEEHIVE LANE ALONG A CURVE TO THE RIGHT HAVING A RADIUS OF 30.00 FEET, AN ARC LENGTH OF 51.48 FEET, THE CHORD WHICH BEARS SOUTH 74°22'12" WEST, A DISTANCE OF 45.39 FEET TO THE NORTHERN RIGHT-OF-WAY OF COOK ROAD TO AN IRON ROD (NEW) WITH CAP STAMPED "RAGAN SMITH ASSOC.";
THENCE, WITH THE NORTHERN RIGHT-OF-WAY OF SAID COOK ROAD ALONG A CURVE TO THE LEFT HAVING A RADIUS OF 884.23 FEET, AN ARC LENGTH OF 151.53 FEET, THE CHORD WHICH BEARS NORTH 61°23'21" WEST, A DISTANCE OF 151.34 FEET TO AN IRON ROD (OLD) IN THE NORTHERN RIGHT-OF-WAY OF SAID COOK ROAD AT THE SOUTHWEST CORNER OF SAID TRACT 7 AND THE SOUTHWEST CORNER OF PARCEL 039 01 AS CONVEYED TO KAYLYN BOSAK BY QUIT CLAIM DEED OF RECORD IN DEED BOOK 1696, PAGE 2200 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.);
THENCE LEAVING THE NORTHERN RIGHT-OF-WAY OF SAID COOK ROAD WITH THE WESTERN LINE OF SAID TRACT 7 AND THE EASTERN LINE OF PARCEL 039 01 NORTH 07°08'32" WEST, A DISTANCE OF 203.38 FEET TO AN IRON ROD (NEW) WITH CAP STAMPED "RAGAN SMITH ASSOC.";
THENCE, CONTINUING WITH THE WESTERN LINE OF SAID TRACT 7 AND THE EASTERN LINE OF SAID PARCEL 039 01 NORTH 13°36'28" EAST, A DISTANCE OF 186.12 FEET TO AN IRON ROD (NEW) WITH CAP STAMPED "RAGAN SMITH ASSOC.";
THENCE, LEAVING THE WESTERN LINE OF SAID TRACT 7 AND THE EASTERN LINE OF SAID PARCEL 039 01 WITH THE SOUTHERN LINE OF SAID TRACT 7 AND THE NORTHERN LINE OF SAID PARCEL 039 01 WITH THE WESTERN LINE OF SAID PARCEL 039 05 AS CONVEYED TO GARY BILYEU BY WARRANTY DEED OF RECORD IN DEED BOOK 1308, PAGE 1026 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.); NORTH 24°19'07" EAST, A DISTANCE OF 306.24 FEET TO AN EXISTING WOODEN FENCE POST AT THE NORTHEAST CORNER OF SAID PARCEL 039 05;
THENCE, WITH THE SOUTHERN LINE OF SAID PARCEL 039 12 AND THE NORTHERN LINE OF SAID PARCEL 039 05 NORTH 71°13'49" WEST, A DISTANCE OF 890.10 FEET TO AN EXISTING WOODEN FENCE POST AT THE NORTHWEST CORNER OF SAID PARCEL 039 05 AND THE NORTHEAST CORNER OF PARCEL 039 04 AS CONVEYED TO KATHERINE SUE FILIPEK AND DONALD F. SUITS JR. AS TRUSTEE BY WARRANTY DEED OF RECORD IN DEED BOOK 1463, PAGE 1083 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.);
THENCE, WITH THE SOUTHERN LINE OF SAID PARCEL 039 12 AND THE NORTHERN LINE OF SAID PARCEL 039 04 NORTH 71°32'46" WEST, A DISTANCE OF 411.89 FEET TO AN IRON ROD (OLD) AT THE NORTHWEST CORNER OF SAID PARCEL 039 04 AND THE SOUTHWEST CORNER OF PARCEL 039 12, SAID POINT IS ALSO IN THE EASTERN RIGHT-OF-WAY OF A 50 FEET WIDE UNNAMED CITY RIGHT-OF-WAY;
THENCE, WITH THE WESTERN LINE OF SAID PARCEL 039 12 AND THE EASTERN RIGHT-OF-WAY OF SAID UNNAMED CITY RIGHT-OF-WAY NORTH 24°48'22" EAST, A DISTANCE OF 575.77 FEET TO AN IRON ROD (OLD) AT THE NORTHWEST CORNER OF SAID PARCEL 039 12 AND THE SOUTHWEST CORNER OF PARCEL 039 10 AS CONVEYED TO JEFFREY K. PROFFITT BY WARRANTY DEED OF RECORD IN DEED BOOK 1462, PAGE 1671 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.);
THENCE, WITH THE NORTHERN LINE OF SAID PARCEL 039 12 THE NORTHERN LINE OF PARCEL 039 10 SOUTH 66°06'16" EAST, A DISTANCE OF 1047.80 FEET TO AN 1/2" IRON ROD (OLD) STAMPED "TARF"; SAID POINT BEING THE NORTHEAST CORNER OF SAID PARCEL 039 01 AS CONVEYED TO TRUSTEE - BRUCE A. CANNON WARRANTY DEED OF RECORD IN DEED BOOK 1594, PAGE 605 REGISTER'S OFFICE FOR CUMBERLAND COUNTY, TENNESSEE (R.O.C.C.T.);
THENCE WITH THE WEST LINE OF SAID PARCEL 039 01 THE FOLLOWING TWO (2) CALLS, SOUTH 23°24'19" WEST, A DISTANCE OF 245.26 FEET TO A FOUND 1/2" IRON ROD (OLD) STAMPED "TARF" BEING THE SOUTHWEST CORNER OF BRUCE A. CANNON, SOUTH 67°48'44" EAST, A DISTANCE OF 941.63 FEET TO THE TRUE POINT OF BEGINNING AND CONTAINING 1,050,499 SQUARE FEET OR 24.12 ACRES MORE OR LESS.

Date: December 18, 2025, 1:32 PM - User ID: acowan
File: I:\1-Chat Projects\25-0224\1-Survey\Plat\25-0224_Preliminary Plat_Working.dwg

THIS DOCUMENT HAS BEEN PRODUCED FROM MATERIAL THAT WAS STORED AND/OR TRANSMITTED ELECTRONICALLY AND MAY HAVE BEEN INADVERTENTLY ALTERED. RELY ONLY ON FINAL HARDCOPY MATERIALS BEARING THE CONSULTANT'S ORIGINAL SIGNATURE AND SEAL, AERIAL MASTERY PROVIDED BY GOOGLE! UNLESS OTHERWISE NOTED.

Date: December 18, 2025, 1:32 PM - User ID: acowan
 File: I:\1-Chat\Projects\25-0224\1-Survey\P105-0224_Preliminary Plat_Working.dwg



NO.	REVISION	DATE
1	CITY OF CROSSVILLE COMMENTS 04/07/2025	


PAPE-DAWSON
 35 STATION STREET | CHATTANOOGA, TN 37408 |
 TENNESSEE A&E PROFESSIONALS' FIRM #11104

BEEHIVE SUBDIVISION
 CROSSVILLE, TN.
 PRELIMINARY PLAT
 DILLARD CONSTRUCTION

PLAT NO.	25-0224
JOB NO.	25-0224
DATE	03/19/2026
DESIGNER	A. COWAN
CHECKED	ADC DRAWN HWN
SHEET	2 OF 4


LEGEND

- | | | | | |
|--------------------------|--------------------|-----------------------------------|---|--|
| ● IRON ROD (OLD) | ⊕ STORM MANHOLE | ▨ ZONE "AE" | -FM- SANITARY SEWER FORCE MAIN LINE | OMP. CORRUGATED METAL PIPE |
| ● IRON ROD (NEW) | ○ SEWER CLEAN-OUT | ▨ ZONE "X" - 100 YEAR | -P- OVERHEAD ELECTRIC POWER LINE | CPP. CORRUGATED PLASTIC PIPE |
| ⊕ FIRE HYDRANT | INV INVERT | ▨ EXISTING WETLANDS (SEE NOTE #7) | -T- OVERHEAD TELEPHONE LINE | HDPE. HIGH DENSITY POLYETHYLENE PIPE |
| ⊕ TELEPHONE RISER | ⊕ TELEPHONE RISER | ▨ CONCRETE SURFACE | -P&T- OVERHEAD POWER AND TELEPHONE LINES | -X-X- FENCE |
| ⊕ UTILITY POLE | ⊕ ELECTRIC BOX | ▨ ASPHALT SURFACE | -CATV- OVERHEAD CABLE TELEVISION LINE | M.B.S.L. MINIMUM BUILDING SETBACK LINE |
| ⊕ UTILITY POLE W/ ANCHOR | ⊕ SIGN | ▨ TREE CANOPY LINE | -G- GAS LINE | P.U.D.E. PUBLIC UTILITY & DRAINAGE EASEMENT |
| ⊕ UTILITY POLE W/ LIGHT | ▨ BUILDING SURFACE | ▨ RIP RAP SURFACE | -W- WATER LINE | R.O.H.C.T. REGISTER'S OFFICE FOR HAMILTON COUNTY, TN |
| ⊕ SANITARY SEWER MANHOLE | ▨ GRAVEL SURFACE | -SA- SANITARY SEWER LINE | -UGE- UNDERGROUND ELECTRIC LINE | ⊗ LOT NUMBER |
| ⊕ WATER METER | ▨ CATCH BASIN | | -RCP- REINFORCED CONCRETE PIPE | |
| | | | △ CENTERLINE OF ROAD (POINT OF CURVE/TANGENT) | |



THIS DOCUMENT HAS BEEN PRODUCED FROM MATERIAL THAT WAS STORED AND/OR TRANSMITTED ELECTRONICALLY AND MAY HAVE BEEN INADVERTENTLY ALTERED. RELY ONLY ON FINAL HARDCOPY MATERIALS BEARING THE CONSULTANT'S ORIGINAL SIGNATURE AND SEAL. AERIAL IMAGERY PROVIDED BY GOOGLE/© UNLESS OTHERWISE NOTED.

Date: December 18, 2025, 1:33 PM - User ID: acowan
 File: I:\Chat Projects\25-0224\1-Survey\Plot\25-0224_Preliminary Plat_Working.dwg



CURVE	RADIUS	LENGTH	DELTA	TANGENT	CHORD	CHORD BRG
C1	26.00	40.43	089°05'06"	25.59	36.47	S69°21'11"W
C2	25.00	39.27	090°00'00"	25.00	35.36	N21°06'16"W
C3	25.00	39.27	090°00'00"	25.00	35.36	N68°53'44"E
C4	50.00	6.05	006°56'07"	3.03	6.05	S66°34'45"E
C5	50.00	33.49	038°22'28"	17.40	32.87	S89°14'03"E
C6	49.99	32.34	037°03'32"	16.76	31.78	N53°01'45"E
C7	50.00	87.80	100°37'21"	60.24	76.95	N15°47'19"W
C8	50.00	46.33	053°05'44"	24.98	44.69	S87°20'49"W
C9	75.00	22.90	017°29'49"	11.54	22.81	S69°33'00"W
C10	75.00	46.59	035°39'38"	24.08	45.85	N83°54'16"W
C11	75.00	117.81	090°00'00"	75.00	106.07	N21°06'16"W
C12	75.00	54.73	041°49'42"	28.65	53.53	N44°48'05"E
C13	75.00	14.82	011°19'06"	7.43	14.79	N71°22'00"E
C14	50.00	56.43	064°40'07"	31.65	53.49	N44°41'29"E
C15	50.00	67.43	077°15'50"	39.96	62.43	N26°16'30"W
C16	50.00	79.58	091°11'13"	51.05	71.44	S69°29'21"W
C17	125.00	32.46	014°52'39"	16.32	32.37	S16°27'25"W
C18	125.00	38.71	017°44'41"	19.51	38.56	S00°08'45"W
C19	125.00	38.71	017°44'41"	19.51	38.56	S17°35'56"E
C20	125.00	38.71	017°44'41"	19.51	38.56	S35°20'37"E

CURVE	RADIUS	LENGTH	DELTA	TANGENT	CHORD	CHORD BRG
C21	125.00	42.53	019°29'42"	21.47	42.33	S53°57'48"E
C22	125.00	5.22	002°23'37"	2.61	5.22	S64°54'27"E
C23	25.00	39.27	090°00'00"	25.00	35.36	S21°06'16"E
C24	25.00	39.27	090°00'00"	25.00	35.36	S68°53'44"W
C25	75.00	117.81	090°00'00"	75.00	106.07	N21°06'16"W
C26	125.00	24.58	011°15'55"	12.33	24.54	N18°15'47"E
C27	125.00	68.10	031°12'58"	34.92	67.26	N02°58'40"W
C28	125.00	99.34	045°32'07"	52.46	96.75	N41°21'13"W
C29	25.00	39.27	090°00'00"	25.00	35.36	N19°40'36"W
C30	25.00	39.32	090°07'20"	25.05	35.39	N70°16'51"E
C31	75.00	114.31	087°19'22"	71.57	103.56	S19°45'57"W
C32	125.00	18.24	008°21'40"	9.14	18.22	S19°42'54"W
C33	125.00	45.56	020°53'06"	23.04	45.31	S05°03'31"W
C34	125.00	37.50	017°11'19"	18.89	37.36	S13°56'41"E
C35	125.00	37.50	017°11'19"	18.89	37.36	S31°08'01"E
C36	125.00	39.01	017°52'45"	19.66	38.85	S48°40'03"E
C37	125.00	18.54	008°29'50"	9.29	18.52	S61°51'21"E
C38	25.00	37.76	086°32'09"	23.53	34.27	S23°01'03"E

LOT	SQ. FT. ±	ACRES ±
1	7321.77	0.17
2	7529.13	0.17
3	8163.05	0.19
4	8167.22	0.19
5	6300.00	0.14
6	6300.00	0.14
7	6300.00	0.14
8	6300.00	0.14
9	6300.00	0.14
10	6300.00	0.14
11	6300.00	0.14
12	8219.72	0.19
13	6300.00	0.14
14	6300.00	0.14
15	6300.00	0.14
16	6300.00	0.14
17	6300.00	0.14
18	6300.00	0.14
19	6300.00	0.14
20	6300.00	0.14

LOT	SQ. FT. ±	ACRES ±
21	6300.00	0.14
22	6300.00	0.14
23	6300.00	0.14
24	8265.87	0.19
25	8265.87	0.19
26	6300.00	0.14
27	6300.00	0.14
28	6300.00	0.14
29	6300.00	0.14
30	6300.00	0.14
31	6300.00	0.14
32	6300.19	0.14
33	7093.74	0.16
34	8860.92	0.20
35	11643.41	0.27
36	7483.68	0.17
37	6971.39	0.16
38	6300.00	0.14
39	6300.00	0.14
40	9220.63	0.21


LOT	SQ. FT. ±	ACRES ±
41	7510.18	0.17
42	6504.23	0.15
43	8701.79	0.20
44	8171.00	0.19
45	6300.01	0.14
46	6300.01	0.14
47	6266.96	0.14
48	7416.52	0.17
49	6296.28	0.14
50	6619.17	0.15
51	6941.97	0.16
52	7093.11	0.16
53	8279.59	0.19
54	14540.09	0.33
55	9633.38	0.22
56	6300.02	0.14
57	6300.07	0.14
58	6300.00	0.14
59	6300.00	0.14
60	6300.00	0.14

LOT	SQ. FT. ±	ACRES ±
61	6300.00	0.14
62	6300.00	0.14
63	6300.00	0.14
64	6300.00	0.14
65	8265.87	0.19
66	8265.87	0.19
67	6300.00	0.14
68	6300.00	0.14
69	6300.00	0.14
70	6300.00	0.14
71	6300.00	0.14
72	6300.00	0.14
73	6300.00	0.14
74	6300.00	0.14
75	6300.00	0.14
76	6300.00	0.14
77	6300.00	0.14
78	6300.00	0.14
79	6300.00	0.14
80	8240.51	0.19

LOT	SQ. FT. ±	ACRES ±
81	8325.63	0.19
82	6300.00	0.14
83	6300.00	0.14
84	6300.00	0.14
85	6300.00	0.14
86	6300.00	0.14
87	6300.00	0.14
88	6300.00	0.14
89	6300.00	0.14
90	6300.00	0.14
91	6300.00	0.14
92	6300.00	0.14
93	6300.00	0.14
94	7514.54	0.17
95	6300.00	0.14
96	6300.00	0.14
97	6300.00	0.14
98	6300.00	0.14
99	6300.00	0.14
100	6300.00	0.14

LOT	SQ. FT. ±	ACRES ±
101	6300.00	0.14
102	6300.00	0.14
103	6299.99	0.14
104	6299.99	0.14
105	6299.99	0.14
106	6299.99	0.14
107	6299.99	0.14
108	6299.99	0.14
109	6308.42	0.14
110	7488.03	0.17
111	9602.85	0.22
112	12419.55	0.29
113	11279.50	0.26
114	7514.54	0.17
115	7535.68	0.17
116	7584.85	0.17
117	7594.02	0.17
118	7621.01	0.17
119	7645.99	0.18
120	7670.58	0.18

LOT	SQ. FT. ±	ACRES ±
121	7695.59	0.18
122	7720.31	0.18
123	7744.93	0.18
124	11348.29	0.26
125	23714.65	0.54
126	31892.67	0.73
127	40998.99	0.94
128	66278.05	1.52
129	234800.11	5.39
130	50818.95	1.17



NO. REVISION
 1
 CITY OF CROSSVILLE COMMENTS 04/07/2025

PAPE-DAWSON
 35 STATION STREET | CHATTANOOGA, TN 37408 |
 TENNESSEE A&E PROFESSIONALS, P.C. #11104

BEEHIVE SUBDIVISION
 CROSSVILLE, TN.
 PRELIMINARY PLAT
 DILLARD CONSTRUCTION

PLAT NO. _____
 JOB NO. 25-0224
 DATE 03/19/2026
 DESIGNER A. COWAN
 CHECKED ADC DRAWN HWN
 SHEET 4 OF 4