

Ford of Murfreesboro

John Hamby
 1550 NW Broad St.
 Murfreesboro, TN 37129

SALES QUOTATION

STATE CONTRACT- 000075348


| | |
|------------|---------------------------------------|
| TO: | (Pricing valid for 2023 models only.) |
| | MDL F7D-600A |
| | CROSSVILLE |
| | 2024 FORD F750 REGULAR CAB CHASSIS |
| | WHITE |

F.O.B.
 TERMS
 DELIVERY
 NUMBER

Thank you for your inquiry dated: July 31, 2023
 We are pleased to quote you the following:

| ITEM | QUANTITY | | UNIT PRICE | DELIVERY DATE |
|------|----------|---|---------------------|---------------|
| 1 | 1 | 2024 FORD F750 REGULAR CAB CHASSIS | \$60,805.00 | TBD |
| 2 | | 6.7 LITER V-8 DIESEL W/ 6 SPEED TRANSMISSION | | |
| 3 | | EXTERIOR -- WHITE | | |
| 4 | | INTERIOR -- GRAY VINYL | | |
| 5 | | OPTIONS LISTED ON WINDOW STICKER | | |
| 6 | | OPTIONS | <u>\$8,550.00</u> | |
| 7 | | | | |
| 8 | | 10 FT RODGERS DUMP W/SNOW REMOVAL EQUIPMENT | <u>\$65,950.00</u> | |
| 9 | | S/S UNDER TAILGATE SPREADER, WESTERN 10FT SNOW PLOW | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | TOTAL X 1 | \$135,305.00 | |

We will be happy to supply any further information you may need and trust that you call on us to fill your order, which will receive our prompt and careful attention.



PER

July 31, 2023

DATE



Prepared by: JOHN HAMBY
07/31/2023

Ford of Murfreesboro | 1550 N.W. Broad St. Murfreesboro Tennessee | 371291709

2024 F-750 Diesel Regular Cab Base (F7D)

As Configured Vehicle

| Code | Description | MSRP |
|---------------------------------|---|-------------|
| Base Vehicle | | |
| F7D | Base Vehicle Price (F7D) | \$79,655.00 |
| Engines | | |
| 99E | 6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 725 ft.lbs. @ 1500 rpm. <i>Governed RPM: 3300. Includes CARB clean idle label - may be removed if un-necessary.</i> | \$1,995.00 |
| 425 | 50-State Emissions | N/C |
| 41H | Engine Block Heater, Phillips, 120 Volt/750 Watt <i>Includes removable grille cover.</i> | \$155.00 |
| 98R | Active Regen Control <i>Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location.</i> | \$205.00 |
| Transmissions | | |
| 44D | Ford TorqShift HD 10-Speed Automatic - with PTO Provision <i>Includes tow/haul.</i> | STD |
| Front Wheels & Tires | | |
| 643 | Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i> | STD |
| T2B | Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) | STD |
| Rear Wheels & Tires | | |
| 663 | Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i> | STD |
| R2B | Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) | STD |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: JOHN HAMBY

07/31/2023

Ford of Murfreesboro | 1550 N.W. Broad St. Murfreesboro Tennessee | 371291709

2024 F-750 Diesel Regular Cab Base (F7D)

As Configured Vehicle (cont'd)

| Code | Description | MSRP |
|----------------------------------|---|------------|
| Brakes | | |
| 67A | Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control <i>Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Not recommended with Hi-Rail Train Systems). Deletes hand operated park brake lever.</i> | \$2,530.00 |
| | <i>Includes: - Air Dryer, Bendix AD/IS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).</i> | |
| 18A | Electronic Stability Control DELETE <i>Deletes the standard ESC feature.</i> | -\$290.00 |
| 62D | Air Dryer, Bendix AD/IS w/Heater <i>Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).</i> | Included |
| 158 | Trailer Air Brake Package <i>Includes air lines to rear of frame, hand control valve and tractor protection valve.</i> | \$365.00 |
| 159 | Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop <i>Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn lights).</i> | \$100.00 |
| Front Axle and Suspension | | |
| 43N | 10,000 lb. Cap. Non-Driving - Dana E-1002I - I-Beam Type | STD |
| 61C | Taper-Leaf Springs, Parabolic - 10,000 lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i> | STD |
| 60A | Lube, Front Axle, EmGard 50W, Synthetic Oil | \$50.00 |
| Rear Axle and Suspension | | |
| 475 | 21,000 lb. Single Reduction - Open - Dana / Spicer 21060S <i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i> | STD |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: JOHN HAMBY
07/31/2023

Ford of Murfreesboro | 1550 N.W. Broad St. Murfreesboro Tennessee | 371291709

2024 F-750 Diesel Regular Cab Base (F7D)

As Configured Vehicle (cont'd)

| Code | Description | MSRP |
|--|--|----------|
| 68P | Multi-Leaf Springs - 21,000 lb. Cap <i>11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.</i> | STD |
| 961 | Shock Absorbers, Rear - Double Acting | \$165.00 |
| 607 | Lube, Rear Axle, EmGard 75W-90, Synthetic Oil | \$100.00 |
| X6B | 6.17 Axle Ratio | N/C |
| Wheelbase | | |
| 158WB | 158" Wheelbase/84" CA/49" AF/246" OAL | STD |
| Frame | | |
| 536 | Single Channel - Straight 'C' 14.18 SM, 120,000 PSI <i>1,701,600 RBM. Heat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).</i> | \$365.00 |
| 765 | Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) | Included |
| 86C | Chrome Grille Surround - (Included in (90E) Exterior Appearance Group) | Included |
| Exhaust | | |
| 91G | Under Cab, Right Side Outlet, Switchback-Style <i>Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.</i> | STD |
| Fuel Tanks | | |
| 65B | Fuel Tank - LH 50 Gallon Rectangular - Aluminum | STD |
| Electrical / Alternator / Battery | | |
| STDALT | Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 | Included |
| 55M | Jump Start Stud - Remote Mounted | \$90.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: JOHN HAMBY
07/31/2023

Ford of Murfreesboro | 1550 N.W. Broad St. Murfreesboro Tennessee | 371291709

2024 F-750 Diesel Regular Cab Base (F7D)

As Configured Vehicle (cont'd)

| Code | Description | MSRP |
|---------------------|--|----------|
| STDBAT | Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box <i>12Volt, Motorcraft.</i> | STD |
| 16V | Voltmeter <i>Available in message center.</i> | \$100.00 |
| Seats | | |
| 88G | 30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl | \$395.00 |
| Cab Interior | | |
| 600A | Preferred Equipment Package 600A <i>Includes:</i> - Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals - Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals - Manual Regen Initiation - Driver Interface in Message Center - Engine Exhaust Brake - Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 - Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights - Tow Hooks, Front (2) - Frame-Mounted, Painted Black - Four Body Builder Switches - Mounted in Center Instrument Panel <i>With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.</i> - Floor Covering - Black Vinyl - Intelligent Oil Life Monitor - Steering Column - Tilt / Telescoping - Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls - Body Builder Wiring - At Back of Cab, Combined <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i> | N/C |
| 90A | Appearance Group <i>Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights.</i> <i>Includes:</i> - Chrome Trimmed Air Registers w/Positive Shut-Off - Power Equipment Group - (Included in (90A) Appearance Group) <i>Includes power front side windows, power door locks and door trim panel.</i> | \$735.00 |
| 90P | Power Equipment Group - (Included in (90A) Appearance Group) <i>Includes power front side windows, power door locks and door trim panel.</i> | Included |
| 588 | Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth | STD |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: JOHN HAMBY
07/31/2023

Ford of Murfreesboro | 1550 N.W. Broad St. Murfreesboro Tennessee | 371291709

2024 F-750 Diesel Regular Cab Base (F7D)

As Configured Vehicle (cont'd)

| Code | Description | MSRP |
|-----------------------|---|-------------|
| 85A | SecuriLock Passive Anti-Theft System <i>The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from being started unless a coded key, programmed to the vehicle, is used. It helps protect against drive-away theft through an electronically coded ignition key, its electronically coded ignition key features billions of possible codes to start the vehicle and is not compatible with non-OEM aftermarket remote start systems.</i> | \$120.00 |
| Cab Exterior | | |
| 90E | Exterior Appearance Group <i>Includes: - Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) - Chromed Fender Badge - Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)</i> | \$730.00 |
| 85K | Remote Keyless Entry w/2 Key Fobs | \$195.00 |
| 54H | Mirrors, Dual - Rectangular, XL2020 - 96" Width <i>Integral spot mirror, sail type, manual fold, solid black finish.</i> | STD |
| 166 | Mud Flap Holder With Flaps | \$155.00 |
| Miscellaneous | | |
| PAINT | Paint Type - Environmentally Friendly, "3 - Wet System" | STD |
| Exterior Color | | |
| YZ_01 | Oxford White | N/C |
| SUBTOTAL | | \$87,915.00 |
| Fuel Charge (12) | | \$0.00 |
| Destination Charge | | \$2,495.00 |
| TOTAL | | \$90,410.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Quote

Rogers Manufacturing Company, Inc.

110 Transit Ave Nashville, TN 37210

Quote # 10497

Date 7/25/2023

Customer

Account # 208646
 FORD OF MURFREESBORO
 1550 NW BROAD
 MURFREESBORO, TN 37129

Phone 615-244-9720 Fax 615-244-9719

Quote Valid for 30 Days Sales Rep. JB

Truck F750

Chassis ID #

CA / CT 84"

Transmission Ford Automatic

Axles Single

Exhaust Under Cab Horizontal

Horns on Cab No

Quoted To

John Hamby

Owner

City of Crossville

Email

Chassis Arrival

Expected Completion

P.O. #

F.O.B. Nashville, TN

Body Reference # 50090

| Group | Sub Group | Type | Description | Qty |
|--------------|---------------|--|--|-----|
| Body | Model | R | R Series | 1 |
| | Length | | 10'-6" | |
| | Inside Width | | 7'-4" | |
| | Outside Width | | 8'-0" | |
| Floor | Material | | 7 Ga Hi Tensile Steel | |
| | Longitudinals | | 5" x 2" x 3/16" Longitudinal | |
| | Sub Frame | | 8" @ 11.5 lbs/ft channel | |
| Sides | Crossmembers | | 4" @ 5.4 lbs/ft channel | |
| | Height | | 30" | |
| | Material | | 10 Ga Hi Tensile Steel | |
| | Front Post | | 10 GA Hi Tensile | |
| | Side Post | | 10 GA Hi Tensile | |
| | Rear Post | | 7 GA Hi Tensile Steel | |
| | Top Rail | | 3 1/2" x 3 1/2" x 3/16" | |
| | Fenders | | Formed rub rail w. deflectors between each side post | |
| | Fender Option | | None | |
| | Board Pockets | | Front and Rear | |
| | Center Lug | | None | |
| Top of Sides | | 2" x 8" wood board painted black | | |
| Steps | | Flat bar steps and walk rod full length of body both sides | | |
| Front | Material | | 10 GA Hi Tensile Steel | |
| | Cabshield | | 20" w/ built in windscreen | |
| Tailgate | Height | | 36" | |
| | Material | | 10 GA Hi Tensile Steel | |
| | Type | | Standard 2 way | |
| | Slope | | None, Straight | |
| | # of Panels | | Standard | |
| | Hinges | | Standard | |
| | T/G Chains | | Long chains, pins inside | |
| | Controls | | Air Latch | |
| Latches | | Forged Lower Latches | | |
| | | | Total | |

Quote

Rogers Manufacturing Company, Inc.

110 Transit Ave Nashville, TN 37210

Customer
Account # 208646
 FORD OF MURFREESBORO
 1550 NW BROAD
 MURFREESBORO, TN 37129

Phone 615-244-9720 Fax 615-244-9719

Quote # 10497
Date 7/25/2023

Quote Valid for 30 Days Sales Rep. JB

P.O. #
F.O.B. Nashville, TN
Body Reference # 50090

Truck F750
Chassis ID #
CA / CT 84"
Transmission Ford Automatic
Axles Single
Exhaust Under Cab Horizontal
Horns on Cab No

Quoted To John Hamby
Owner City of Crossville
Email
Chassis Arrival
Expected Completion

| Group | Sub Group | Type | Description | Qty |
|----------------------|----------------------|------|--|-----|
| Lights | Apron / Spreader Lip | | 8", bolt on | |
| | Body Lights | | LED Lights to meet FMVSS #108 | |
| | Rear Stop/Turn | | 6" LED Oval, surface mount (1 on each rear post) | |
| | Marker Lights | | Standard LED | |
| | Option | | (8) Strobe light package (TDOT Placement) | |
| Paint | Plow Lights | | Plow lights | |
| | Color | | Black | |
| | Manufacturer | | Donovan | |
| Tarp | Operation | | Electric | |
| | Arms | | Aluminum Curved | |
| Mud Flaps | Cover Material | | Vinyl | |
| | Front | | None | |
| | Rear | | "Rogers" rubber flaps | |
| Chassis / Hydraulics | PTO | | Ford Automatic PTO (6 speed) | |
| | Pump | | Direct Mount w/ Shifter valve | |
| | Control - PTO | | Ford Automatic PTO control | |
| | Control - Pump | | Air Shift | |
| | Hoist | | Front Mount Telescopic | |
| | Cylinder Base | | Cylinder Base in Sub Frame | |
| | Hydraulic Tank | | Side mount oil tank, with filter (central system to operate body & Spreader) | |
| | Rear Hinge Assembly | | Sub Frame Rear hinge assembly | |
| | Chassis Lights | | Standard | |
| | Back Up Alarm | | Yes | |
| | Body Safety Support | | Standard body supports | |
| | Option | | 30 Ton Pintle hitch w/ d rings, gladhands, & 7 Pin (using dealer supplied tractor package) | |
| | | | Stainless Steel under tailgate spreader installed | |
| | | | Western Plow (Electric 10') installed | |
| | | | Central hydraulics to operate under tailgate spreader | |
| | | | Total | |